Board packet March 16, 2021: MERV 13 Filter Installation and HVAC Rebalancing

Saturday, March 13, 2021 12:40 PM

Subject	Board packet March 16, 2021: MERV 13 Filter Installation and HVAC Rebalancing
From	Ryan Livergood
То	libraryboard
Сс	Noreen Reese; Gina Ornelas; Amy Blanchard; Sandy Beda; Jan Marsh; 'AFarr@MichaelSilver.com'; Kevin Getty
Sent	Friday, March 12, 2021 12:30 PM

Good afternoon,

As reported at the March Committee of the Whole, we have received a quote to install MERV 13 filtration and rebalance our HVAC system for approximately \$4,200. We can fund this project from our existing maintenance fund.

The Board had some concerns about the sustainability of installing MERV 13 filters and how it would impact our budget in the future. The fans on our RTU units run at static speed. As the filters age, air flow may become less, but this would be seen as a negligible amount. As long as the filters are changed on a regular basis, there shouldn't be any significate change in energy usage. Thus, we don't believe moving forward with this will result in any substantial budget increases in the future. I would like to move forward with this as soon as possible as long as the Board doesn't have any further concerns.

Thanks, Ryan

Ryan Livergood

Executive Director
Warren-Newport Public Library District
224 N. O'Plaine Road
Gurnee, IL 60031
847-244-5150 ext. 3101
rlivergood@wnpl.info

"Congratulations on the new library, because it isn't just a library. It is a space ship that will take you to the farthest reaches of the Universe, a time machine that will take you to the far past and the far future, a teacher that knows more than any human being, a friend that will amuse you and console you---and most of all, a gateway, to a better and happier and more useful life." — Isaac Asimov

This message may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient (or authorized to act on behalf of the intended recipient) of this message, you may not disclose, forward, distribute, copy, or use this message or its contents. If you have received this communication in error, please notify us immediately by return e-mail and delete the original message from your e-mail

system. Thank you.

Please consider the environment before printing this email.